

FLY Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1000	0.818" 20.78mm	0.405" 10.29mm	Fly	Panoz, Viper
1001	0.836" 21.23mm	0.410" 10.41mm		
1002	0.848" 21.54mm	0.410" 10.41mm		
1003	0.792" 20.12mm	0.410" 10.41mm	Fly	BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004)
			Carrera	Ferrari 575
			Scalextric	Maserati MC-12
1004	0.812" 20.62mm	0.410" 10.41mm	Fly	BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004)
			Carrera	Ferrari 575
			Scalextric	Maserati MC-12
1005	0.838" 21.29mm	0.410" 10.41mm	Fly	BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004)
1006	0.850" 21.59mm			
1007R	0.815" 20.70mm	0.430" 10.92mm	CB Design	Designed to fit most 15x11mm Wheels
			Fly	Classic Series, Porsche 908, Porsche GT1, Porsche 917K, Lola T70, Ferrari 512 & 512S, GB Track Chevron, Carrera Six
			FlySlot	Lola T70, Porsche 917LH, Ford MkII
			Monogram	Greenwood Corvette
			Spirit	MG Lola, Reynard, Classic Series
			TSRF	1/32
1008R	0.830" 21.08mm	0.430" 10.92mm	CB Design	Designed to fit most 15x11mm Wheels
			Fly	Classic Series, Ferrari 512, Lola T70, Porsche 908, Ferrari 365 GTB/4, Ford GT-40, Porsche 917K
			FlvSlot	Lola T70. Porsche 917LH. Ford MkII

			TSRF	1/32
1009R	0.844" 21.44mm	0.430" 10.92mm	CB Design	Designed to fit most 15x11mm Wheels
			Fly	Classic Series, Ferrari 512, Lola T70, Porsche 908, Ferrari 365 GTB/4, Ford GT-40, Porsche 917K
			FlySlot	Lola T70, Porsche 917LH, Ford MkII
1010	0.838" 21.29mm	0.430" 10.92mm	Fly	Capri, Lancia, Porsche 911 GT, BMW 3.5 CSL, Porsche 935
			Scalextric	Audi R10, Ford GT, Lister Storm, Mercedes McLaren SLR, Maserati MC12, Mercedes F1 Safety Car
			SCX	Dome Judd
1011	0.850" 21.59mm	0.410" 10.41mm	Fly	Daytona Prototypes, Flyslot Sunred

SCALEXTRIC Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1100R-A or 1111R	0.792" 20.12mm	0.430" 10.92mm	Scalextric	Aston Martin DBR9/DBS, Cadillac Northstar LMP, Ford GT (new), MG Lola, Nissan Skyline, TVR T400R, Dodge Viper GT, Ferrari F430, Ford GT, Lamborghini Gallardo, Mustang FR500C, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, Porsche RS Spyder, McLaren MP4-12C, Audi R8 LMS GT3, BMW 320i, Jaguar XKR, Nissan GT-R Drift, START Pro Racing, START GT Endurance Note: Also designed to fit most CB Design 17x11mm Wheels
1100R-B or 1112R	0.808" 20.52mm			
1100R-C or 1113R	0.826" 20.98mm			
1101	0.802" 20.37mm	0.360" 9.14mm	Scalextric	NASCAR (including COT)
1102	0.804" 20.42mm	0.310" 7.87mm	Scalextric	Corvette L88 (1968), Trans Am MiniLite Wheels (older), Ferrari 330 P4, Gran Torino, Dodge Charger,
1103	0.794" 20.17mm	0.453" 11.51mm	Scalextric	F1, Indy (Dallara), Lotus 49, Eagle Gurney
1104	0.806" 20.47mm	0.337" 8.56mm	Scalextric	Ford GT40
1105	0.808" 20.52mm	0.380" 9.65mm	Scalextric	Mercedes AMG DTM, Honda NSX JGTC, Nissan 350Z JGTC, Opel V8 Coupe DTM, Porsche 911 GT3, Toyota Supra JGTC, Ford GT (old), Maserati Trofeo, Mercedes SLK, Opel Astra DTM, Opel Vectra DM
1106	0.778" 19.76mm	0.294" 7.47mm	Scalextric	Mini-Cooper, Seal Leon, Ford Focus WRC, Mitsubishi Lancer WRC, Subaru WRC

NINCO Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

	Outer			
--	-------	--	--	--

Part #	Diameter	Width	Make	Models/Applications
1200	0.792" 20.12mm	0.410" 10.41mm	Ninco	Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Ferrari F360, Ford GT, Corvette, DTM Mercedes, Honda NSX, McLaren F1 GTR, Mosler MT900, Nissan 350Z, Renault Megane, Toyota Supra, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, Mercedes CLK, Porsche 997, Porsche GT1, Acura LMP, Mustang, Pro-Race 17 Wheels
			Carrera	Mercedes SLR
1201	0.812" 20.62mm	0.410" 10.41mm	Ninco	Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Ferrari F360, Ford GT, Corvette, DTM Mercedes, Honda NSX, McLaren F1 GTR, Mosler MT900, Nissan 350Z, Renault Megane, Toyota Supra, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, Mercedes CLK, Porsche 997, Porsche GT1, Acura LMP, Mustang, Pro-Race 17 Wheels
			Carrera	Mercedes SLR
1202	0.778" 19.76mm	0.480" 12.19mm	Ninco	F1, Indy
1203	0.626" 15.90mm	0.456" 11.58mm	Ninco	Go-Karts
1204R	0.805" 20.45mm	0.225" 5.72mm	CB Design	Designed to fit most 15x07mm Wheels
			Ninco	Classic Series (Except Cobra)
			Scalextric	Mercedes 300 SLR
			Racer	Porsche 9115

Carrera Series-Direct Fit Slip-on Silicone Super Tires
(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1300	1.056" 26.82mm	0.420" 10.67mm	Carrera	1/24 (BMW, Panoz, Porsche)
1301	0.840" 21.34mm	0.241" 6.12mm	Carrera	Classic Series, 56 T-Bird, 57 Chevrolet Bel Air, 60 Plymouth Fury, 69 Camaro, Aston Martin DB5, Aston Martin Vanquish, Corvette Stingray, Ferrari 166/212, Maserati A6GCS, Pontiac GTO
			Monogram	Mustang
			Ninco	Classics (Austin Healy, 56 Corvette, Jaguar XKE120, Ferrari 250 TR)
1302R	0.932" 23.67mm	0.320" 8.13mm	Carrera	Classic NASCARs
1303	0.824" 20.93mm	0.380" 9.65mm	Carrera	NASCAR COT, BMW Z4 Coupe
1304	0.809" 20.55mm	0.565" 14.35mm	Carrera	McLaren M20 CanAm
1305	0.853"	0.631"	Carrera	Designed to fit 15x07mm Wheels

1305	21.67mm	16.03mm	Carrera	Porsche 911/30 CanAm
1306	0.812" 20.62mm	0.470" 11.94mm	Carrera	F1 (2009-2010)
1307	0.845" 21.46mm	0.420" 10.67mm	Carrera	Audi R8, BMW M3
1308R	0.858" 21.79mm	0.410" 10.41mm	Carrera	Ferrari 458, Ferrari 599, Mercedes SLS
1309	0.795" 20.18mm	0.470" 11.94mm	Carrera	Ford Capri, Francesco Bernoulli

Slot-It Series-Direct Fit Slip-on Silicone Super Tires
(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1400R	0.704" 17.88mm	0.350" 8.89mm	Super Wheels/ CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.It	15x8mm (SIPA04-15-17-24-WH1183-1210), Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E
			NSR	16x08mm (5001-5002)
			Sloting+	14.6x8mm, 15.0x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
1401R	0.734" 18.64mm	0.350" 8.89mm	Super Wheels/ CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.It	15x8mm (SIPA04-15-17-24-WH1183-1210), Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E
			NSR	16x08mm (5001-5002), Fiat Abarth 500, Porsche 997 Rally
			Sloting+	14.6x8mm, 15.0x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
			SCX	Volvo GT
			Super Wheels/ CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.It	15x8mm (SIPA04-15-17-24-WH1183-1210), Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E, Alfa 33/3, McLaren F1 GTR (RAW), Nissan R390 (RAW)

1402R	0.748" 19.00mm	0.340" 8.64mm	NSR	16x08mm (5001-5002), Fiat Abarth 500, Porsche 917K, Ford GT40, Ford Mk IV, Ford P68, Mosler MT900R
			SCX	BMW 320i, Rally, Morgan Aero 8, Seat Cupra GT, Tuner Car 2
			Artin	Mercedes CLK, Porsche GT1
			Cartrix	BMW, Porsche
			Ninco	Rally, Mini-Cooper, Pro-Race 15 Wheels (#80718)
			Sloting+	14.6x8mm, 15.0x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
			Racer	Capri, Lancia
1403R	0.777" 19.74mm	0.350" 8.89mm	Super Wheels/ CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.it	15x8mm (SIPA04-15-17-24-WH1183-1210), Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E, Alfa 33/3, McLaren F1 GTR (RAW), Nissan R390 (RAW)
			Carrera	Enzo, Ferrari
			NSR	16x08mm (5001-5002), Porsche 917K, Ford GT40, Ford Mk IV, Ford P68, Mosler MT900R
			SCX	Seat Cupra GT, BMW 320i
			Sloting+	14.6x8mm, 15.0x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
			Mr Slotcar	Mazda 787B
1404R	0.805" 20.45mm	0.352" 8.94mm	Super Wheels/ CB Design Wheels	Designed to fit most 15x08mm wheels
			Slot.it	15x8mm (SIPA04-15-17-24-WH1183-1210), Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E, Alfa 33/3
			NSR	16x08mm (5001-5002), Porsche 917K, Ford GT40, Ford Mk IV, Ford P68, Mosler MT900R
			Carrera	Enzo, Ferrari
			Sloting+	14.6x8mm, 15.0x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
			Super Wheels/ CB Design Wheels	Designed to fit most 15x08mm wheels
				15x8mm (SIPA04-15-17-24-WH1183-1210),

1405R	0.824" 20.93mm	0.350" 8.89mm	Slot.it	Audi R8C (original), Jaguar XJR6/9/12, Lancia LC2/85, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), Ferrari 312PB, Ford GT40, Mazda 787B, Ford Mk II, Toyota 88C, Chapparral 2E
			NSR	16x08mm (5001-5002)
			Sloting+	14.6x8mm, 15.0x8mm, 15.5x8mm, 15.9x8mm, 16.2x8.5mm
1407R	0.794" 20.17mm	0.394" 10.01mm	Slot.It	17x10mm (SIPA10-19-62-WH1186), Nissan R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Porsche 911 GT1 EVO98
			Carrera	C6R Race Liveries (not Street), Mercedes DTM, Audi DTM, Porsche RS Spyder ALMS, Porsche GT3 RSR
			Racer	Daytona Prototype
			ProSlot	Toyota GT1, Porsche GT2
			SCX	Ferrari 360, Ferrari 550, Ferrari FXX, Audi R10, Aston Martin D89, Corvette C6R, Peugeot 908 LMP
			ScaleAuto	Mercedes SLS, Radical
			Sloting+	16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
1408R	0.808" 20.52mm	0.394" 10.01mm	Super Wheels/ CB Design Wheels	Designed to fit most 17x10mm wheels
			Slot.It	17x10mm (SIPA10-19-62-WH1186), Nissan R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Porsche 911 GT1 EVO98
			NSR	17x10mm (5004-5017), Audi R18 LMP, Audi R8 LMS, Porsche 997, Abarth S2000, Corvette C6R, Renault Clio Cup/R3
			Black Arrow	Aston Martin DBR9
			Racer	Daytona Prototype
			ScaleAuto	Mercedes SLS
			Sloting+	16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
			Carrera	C6R Race Liveries (not Street), Mercedes DTM, Audi DTM, Porsche RS Spyder ALMS, Porsche GT3 RSR
			Ninco	Lightning Pro Race
			ProSlot	Toyota GT1, Porsche GT2
SCX	Ferrari 360, Ferrari 550, Ferrari FXX, Audi R10, Aston Martin D89, Corvette C6R, Peugeot 908 LMP			
				17x10mm (SIPA10-19-62-WH1186), Nissan

1409R	0.823" 21.01mm	0.400" 10.16mm	Slot.It	R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Porsche 911 GT1 EVO98
			NSR	17x10mm (5004-5017)
			SCX	Corvette C6R, Ferrari FXX, Ferrari 550, Ferrari 360, Aston Martin DB9, Audi R10, Peugeot 908 LMP
			Racer	Daytona Prototype
			ProSlot	Porsche GT2, Toyota GT1
			Sloting+	16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
			Carrera	C6R Race Liveries (not Street), Mercedes DTM, Audi DTM, Porsche RS Spyder ALMS, Porsche GT3 RSR
1410R	0.842" 21.39mm	0.400" 10.16mm	Super Wheels/ CB Design Wheels	Designed to fit most 17x10mm wheels
			NSR	
			SCX	Corvette C6R, Ferrari FXX
			Sloting+	16.2x8.5mm, 16.5x8.5mm, 16.5x10mm, 16.9x8.5mm, 16.9x10mm, 17.2x9mm, 17.5x9mm
			Slot.It	17x10mm (SIPA10-19-62-WH1186), Nissan R390 (original), Ferrari F40, Audi R18, Audi R8C (Reloaded), Lola B09/60, Lola B10/60, McLaren F1 GTR (original), Porsche 911 GT1 EVO98
			Carrera	C6R Race Liveries (not Street), Mercedes DTM, Audi DTM, Porsche RS Spyder ALMS, Porsche GT3 RSR
1420	0.730" 18.54mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm Wheels
			Slot.It	14x12mm (F1) (SIPA14-20)
			NSR	F1 (5005)
1421	0.740" 18.80mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm Wheels
			Slot.It	14x12mm (F1) (SIPA14-20)
			NSR	F1 (5005)
1422	0.758" 19.25mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm Wheels
			Slot.It	14x12mm (F1) (SIPA14-20)
			NSR	F1 (5005)
1423	0.770" 19.56mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm Wheels
			Slot.It	14x12mm (F1) (SIPA14-20)
			NSR	F1 (5005)
			F1r	BMW M1

1425	0.800" 20.32mm	0.470" 11.94mm	CB Design	Designed to fit most 14.5x12mm Wheels
			Slot.It	14x12mm (F1) (SIPA14-20)
			NSR	F1 (5005)
			Monogram	Greenwood Corvette

Vanquish Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1500	0.825" 20.96mm	0.510" 12.95mm	Vanquish	Shadow, Lola, McLaren, M8E, Mirage, BRM

SCX Series-Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1600	0.575" 14.60mm	0.250" 6.35mm	SCX	1/43 Scale NASCAR
1601	0.818" 20.78mm	0.338" 8.59mm	SCX	NASCAR (Pre-COT-COT Pro), Barracuda, Trans Am
1603	0.806" 20.47mm	0.373" 9.47mm	SCX	17mm Aluminum Pro-Wheel (Part #: 50460), Audi R8 Pro
			Avant Slot	16.5x10mm Aluminum Wheel (Part #: 20712)

Monogram Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1700	0.825" 20.96mm	0.310" 7.87mm	MRRC	Chaparral, Porsche 910
			Revell	Jaguar E-Type
			Monogram	Vintage NASCAR

Spirit Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1800	0.748" 19.00mm	0.380" 9.65mm	Spirit	Peugeot 406, Courage

Pioneer Series - Direct Fit Slip-on Silicone Super Tires

TIRES

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
1900	0.836"	0.330"	Pioneer	Mustang Race Liveries
	21.23mm	8.38mm	Scalextric	Ford Falcon, Trans Am 5-spoke Wheels (newer)
1901 R	0.808" 20.52mm	0.290" 7.37mm	Pioneer	Charger

MRRC Series - Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
2000R	0.815" 20.70mm	0.220" 5.59mm	Scalextric	Classic Beetle
			MRRC	Sebring Chassis, Porsche 911, Ford GT40 MKIV, Porsche 910, Cobra, Cheetah, Chaparral, Kellison, King Cobra, Porsche 904 GTS)

C.B. Design Wheel Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
2102R	0.785" 19.94mm	0.400" 10.16mm	CB Design Wheels	Designed to fit all 15x10mm wheels
			Slot.It	15x10mm (SIPA49-WH1184)
			NSR	16x10mm (5015-5016)
			Sloting+	15.9x10mm, 16.2x10mm
2104R	0.803" 20.40mm	0.400" 10.16mm	CB Design Wheels	Designed to fit all 15x10mm wheels
			Slot.It	15x10mm (SIPA49-WH1184)
			NSR	16x10mm (5015-5016)
			Sloting+	15.9x10mm, 16.2x10mm
2112R	0.780" 19.81mm	0.430" 10.92mm	CB Design	Designed to fit most 15x11mm wheels
			Fly	Classic Series, Ferrari 512, Lola T70, Porsche 908
			Monogram	Greenwood Corvette
			Spirit	Classic Series, MG Lola, Reynard
			TSRF	

Vintage Series- Direct Fit Slip-on Silicone Super Tires

(Final O.D. after mounted on the manufacturer's stock wheel)

Part #	Outer Diameter	Width	Make	Models/Applications
V-100	0.872" 22.15m m	0.298" 7.57mm	Riggen	Home Set Cars (rear - no "rib" on wheel)

Important Information

1. The above listed part numbers highlighted in yellow are also made in Yellow Dog Tires (Urethane).
2. All part numbers with "R" following the number, means that specific tire has one rounded sidewall only.
3. Widths for "R" series tires are for the contact patch only (excludes sidewall).
4. Manufacturers trade names are property of the respective companies & used for identification only.

"All Super Tire Products are made with Pride in the U.S.A."